

# Kofax Unified Client for Xerox

## Technical Specifications

Version: 1.0.0

Date: 2021-01-12

The logo for Kofax, consisting of the word "KOFAX" in a bold, blue, sans-serif font.

© 2021 Kofax. All rights reserved.

Kofax is a trademark of Kofax, Inc., registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Kofax.

# Revision History

Date	Revision	Description
January 15, 2021	1.0	Initial version

# Table of Contents

About the Unified Client for Xerox.....	5
Product requirements.....	6
Required and supported software.....	6
Supported card readers.....	6
Supported devices.....	7

# About the Unified Client for Xerox

The Unified Client for Xerox adds print and capture capabilities to Xerox devices through AutoStore, Equitrac, and Output Manager while still using device-specific features.

Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support the Unified Client for Xerox. These requirements specifically list the needs of the Unified Client for Xerox and do not include any additional requirements for other components you might use in your system.

# Product requirements

## Required and supported software

Specification	Description
Required Kofax Software	<ul style="list-style-type: none"><li>• Device Registration Service (DRS) 8.1.6</li><li>• Device Web Server (DWS) 5.11.6 with Tomcat 9.0.37</li></ul>
Compatible Kofax Software	<ul style="list-style-type: none"><li>• ControlSuite 1.1 with fix pack 6 or later</li><li>• Equitrac 6.1 with fix pack 6 or later</li><li>• AutoStore 8.1 with fix pack 6 or later</li><li>• Business Connect 8.1 with fix pack 6 or later</li><li>• Output Manager 5.1 with fix pack 6 or later</li></ul>
Required Third Party Technologies	None
Compatible Third Party Technologies	None

## Supported card readers

The Unified Client for Xerox supports the following card readers.

### **Kofax card readers**

- Kofax Micro Card Reader
- Kofax Equitrac ID Card Reader (generation 2)
- Kofax Equitrac ID Card Reader (generation 1)

And the Unified Client for Xerox allows the usage of the following card readers.

### **Third-party card readers**

- Elatec TWN3
- Elatec TWN4
- RFIDEas pcProx RDR-7L81AKU
- RFIDEas pcProx RDR-80581AKU
- Custom

# Supported devices

The Unified Client for Xerox works with AltaLink, PrimeLink, and VersaLink devices with full panel and half panel screen sizes that contain the following:

- EIP 3.7 (or later) framework
- Web-Kit gen 2/gen 3 browser

The Unified Client for Xerox supports multifunction printer (MFP) and single-function printer (SFP) devices. MFP devices support print, scan, and copy functions. SFP only supports printing. During deployment, DWS compares the capabilities of the device with the components you want to install. For example, if you use AutoStore that requires scanning, deployment fails when you attempt to install on an SFP device that does not have a scanner.

See [MFD and Productivity Supported Devices](#) for an updated list of specific models.